

XEROX®

Technology | Document Management | Consulting Services

print | copy | email | fax | scan

# Convenient multi functions on your network printer



# WorkCentre® 4150

## multifunction

### Introducing your new multifunction printer

The WorkCentre 4150 multifunction meets the challenges of today's non-stop business world. We started with the basic requirement of every office: powerful printing capabilities. Then we added an array of tools to create a reliable and convenient multifunction that is ready to handle the needs of your busy workgroup.

### Get more done, day in and day out


Replace your current printer with the WorkCentre 4150 and see how much more you can do with this multifunction's best-in-class features.

- Get a solution designed exactly for your business – from a copier-only device all the way up to a full-fledged multifunction that can print, copy, fax and scan to email.
- Each function is fully integrated and can be accessed while other jobs are running. Enjoy worry-free, reliable operation.
- Easily integrate the WorkCentre 4150 into your existing printer environment, or replace single-function machines with one convenient multifunction device. That's a lot of productivity in a small footprint.
- Call on unrivaled service and support, including service professionals who are linked to the engineers who designed your product. Xerox is there for you every step of the way.

### Multifunction power at the right price


As the multifunction experts, Xerox can help you streamline the way you work with a value-packed device that's competitively priced.

- Save money by choosing just the functions you need now. Upgrade as your business grows.
- Increase productivity and decrease costs by getting one device that does the work of a string of single-function machines.
- Standard automatic two-sided printing and copying – and even faxing – saves time as well as money.



### Flexible choices

Choose the WorkCentre 4150 in the exact configuration to meet your needs.



## Xerox feature advantages

Manage your print queue right from the touch-screen. Move important jobs to the top of the list for maximum efficiency.

The fax feature can relay incoming faxes to email and other fax machines.



Touch-screen operation is easy to learn, easy to navigate, and consistent with all Xerox multifunction systems.

Time-saving "Auto" features make correct selections for you, ensuring high-quality output.

Process ID documents quickly and efficiently with ID Card Copy.

### Must-have tools to match the job


The WorkCentre 4150 offers a lineup of special features so useful you'll wonder how you lived without them.

- **ID Card Copy:** Use the innovative ID Card Copy feature to copy both sides of an ID document or check onto one side of a sheet of paper – without having to run the paper through a second time.
- **Fax Forward to Email:** Route incoming faxes to your email for easy archiving or to access while you're out of the office.
- **Secure Print:** Prints confidential documents only after you've entered a password at the device.

## A new world of convenience

Give your workgroup a centrally located device that boosts productivity.

- The space-saving design means all capabilities can fit comfortably in your workgroup. Add up to three additional paper trays and build a floor-standing device that is easily accessible to everyone in your office.
- Installation and network configuration are easy – a couple of clicks and you're up and running.
- The large touch-screen interface can be understood at a glance. Most operations are a touch away.
- Manage your machine and access device and job status and accounting information from your desktop using the CentreWare IS embedded web server.
- Add a finisher to the desktop or floor-standing model that will collate and staple up to 50-sheet documents for more efficiency and convenience.



- 1 Money-saving and fast automatic two-sided printing is standard
- 2 50-sheet duplex automatic document feeder scans two-sided documents
- 3 100-sheet bypass tray handles heavier papers up to 200 gsm
- 4 Standard 500 sheet paper tray feeds custom sizes up to 8.5 x 14 in.
- 5 One, two or three additional paper trays boost capacity to as much as 2,100 sheets
- 6 Use the handy Finisher to collate and staple sets of up to 50 pages

Call today. For more information, call 1-877-362-6567 or visit us at [www.xerox.com/office](http://www.xerox.com/office)



CONFIGURATIONS	WorkCentre 4150	WorkCentre 4150s	WorkCentre 4150x	WorkCentre 4150xf
<b>Speed</b>	Up to 45 ppm (letter / A4)			
<b>Duty Cycle</b>	Up to 200,000 pages / month			
<b>Paper Handling</b>	<b>Duplex Automatic Document Feeder:</b> 50 sheets <b>Bypass Tray:</b> 100 sheets; Size: 3.9 x 5.8 in. to 8.5 x 14 in. / A6 to A4 (98 x 148 mm to 216 x 356 mm) <b>Tray 1:</b> 500 sheets; Size: 3.9 x 5.8 in. to 8.5 x 14 in. / A6 to A4 (98 x 148 mm to 216 x 356 mm)			
Paper Input				
Additional Trays	Optional		Tray 2: 500 sheets	
	Optional		Tray 3: 500 sheets Tray 4: 500 sheets	
Paper Output	500 sheets, automatic two-sided			
Finishing	Optional		500-sheet Finisher: 50-sheet single position stapling	
<b>Copy</b>				
First-Page-Out Time	As fast as 5 seconds			
Copy Resolution	600 x 600 dpi			
Copy Features	Automatic two-sided, Collation, Reduce/Enlarge, Book Copying, Mixed-Size Originals, Edge Erase, Booklet Creation, Covers, Transparency Separators, Multi-Up, ID Card Copy			
<b>Print</b>				
First-Page-Out Time	NA	As fast as 8 seconds		
Print Resolution	NA	600 x 600 dpi, 1200 interpolated		
Memory (standard / max)	NA	256 MB / 384 MB plus 40 GB Hard Drive		
Processor / PDL	NA	400 MHz / PCL 5e, PCL 6, compatible with PostScript® 3™		
Connectivity	NA	10/100 BaseT Ethernet (WIFI via 3rd party)		
Print Features	NA	Automatic two-sided, Watermark, Secure print, Delayed print, Sample set, Cover selection, Paper selection by attribute, Toner saver, N-Up, Mirror image, Negative image, Image rotation, Saved settings, Booklet creation, Fit to new paper size, Collation		
<b>Scan</b>				
Scan Destinations	NA	Scan to Email, Optional: Network Scanning, SMARTsend™, Xerox Business Partner Solutions (XBP)		
Scan Features	NA	PDF, JPEG, TIFF, Multi-page TIFF, Xerox® Scan to PC Desktop® Personal Edition (Includes 1 seat of OmniPage, PaperPort, and Image Retriever for use with scan-to-email), Color Scanning Scan Speed: up to 45 ipm B/W (letter), 43 ipm B/W (A4)		
Security	NA	Secure Email via SSL; Network Authentication (SMB, secure LDAP and Kerberos)		
<b>Fax</b>	Optional		Embedded Fax (33.6 Kbps with JBIG Compression), Optional: Server Fax	
Fax Features	Optional		Mailbox, Polling, Security Fax, Color fax transmission	
<b>Accounting</b>	Standard	Internal Auditor tracks copy and fax, Xerox Standard Accounting		
	Optional	Network Accounting Kit and Xerox Business Partner Solutions		
<b>Other Options</b>	Foreign Device Interface, 256 MB Memory Upgrade (adds additional 128 MB), Network Scanning, Cabinet, Image Overwrite, Server Fax Enablement			
<b>Warranty</b>	One Year On-Site Warranty, Xerox Total Satisfaction Guarantee			

**Device Management**

CentreWare Internet Services, CentreWare Web, NDPS and HP Openview

**Media Handling**

Bypass Tray: 16–53 lb bond / 60–200 gsm  
 Tray 1, 2, 3, 4: 16–32 lb bond / 60–120 gsm  
 Duplex Automatic Document Feeder: 12–32 lb bond / 50–120 gsm  
 Media Types: Paper, envelopes, labels, transparencies

**Operating Environment**

Temperature: Maximum Range: 50°–90°F / 10°–32°C, Recommended Range: 61°–86°F / 16°–30°C  
 Humidity: Maximum Range: 20–80%, Recommended Range: 30 – 70%  
 Electrical: Power: 110–127 VAC, 60 Hz, and 220–240 VAC, 50 Hz  
 Power Consumption: Average: 748 watts, Power Saver Mode: 32.5 watts, ENERGY STAR® Compliant

**Dimensions (WxDxH)**

Without Finisher: 24.5 x 19 x 24 in. / 622 x 483 x 610 mm, With Finisher: 39.5 x 19 x 24 in. / 1003 x 483 x 610 mm  
 Weight: Without Finisher: 110 lb / 50 kg, With Finisher: 132 lb / 60 kg

**Supplies**

Starter Toner – average 10,000 standard pages\*  
 Standard Toner – average 20,000 standard pages\*  
 Drum Cartridge – approx. 55,000 pages\*\*

**Agency Approvals**

UL  
 CE Semko



\*Declared Yield in accordance with ISO/IEC 19752. Yield will vary based on image, area coverage and media used.  
 \*\*Yield will vary depending on job run length, media size and orientation.