



color printer

# All-around office performance inside your budget



# Phaser® 7400

## Color Printer



**In-house powerhouse.** The Xerox Phaser 7400 is a value-priced high-performance color printer to meet the needs of businesses on a deadline. It packs the versatility, power and speed to handle whatever job you send it — whether it's tabloid sized prints or projects on heavy cover stock. **Fast, high-quality, versatile *and* affordable.**

### One printer, no waiting.

It's one of the fastest in its class, so the Phaser 7400 printer tackles your team's everyday printing workload at record speed. It has advanced printing features to guarantee fast throughput and no bottlenecks, even in the busiest workgroup traffic.

- With print speeds of 36 ppm for color and 40 ppm for black-and-white, and a first page out time as fast as 12 seconds (color), the Phaser 7400 cranks out the print jobs almost as fast as you can send them.
- A fast 800 MHz processor, memory options that scale from 256MB up to a full gigabyte of RAM, and job pipelining mean that jobs won't get stuck in long queues.
- True Adobe® PostScript® 3™ and built-in intelligent features like automatic tray selection ensure the job is done right the first time to avoid reprints and delays.
- Installation is fast and easy with Xerox Installer Tools, while advanced drivers make choosing the right print settings a snap.

### Great power at a great value.

While its capabilities are robust, the Phaser 7400 printer is priced to be accessible for offices of all sizes. Its basic features provide the quality and speed you expect. And you can select the right additional options for your business at a price that fits your budget.

- Economical pricing and a variety of configurations and options make the Phaser 7400 an affordable solution for workgroups with print jobs of all sizes.
- Get the same low cost per page you're used to for black-and-white prints, *and* add the impact of color for only pennies more.
- Plenty of office-smart features are built in: PrintingScout alert tool will monitor print jobs and provide pop-up help, and Support Centre Utility provides easy access to detailed support information. Job accounting and usage detail tracking capabilities, as well as detailed information on consumable usage are easily accessible.
- High volume print jobs as well as small specialty projects can be run on-demand, in-house, saving substantial time and money.
- Add a hard drive (standard on most configurations) and get more productivity tools, including Secure Print to keep private documents private, and Personal Print to separate users' jobs and store them on the printer for easy future access right from the front panel.





## The right media for your message.

Imagine having a printer with the versatility to print full-color brochures, newsletters or signs in-house. Or to create color transparencies, labels or business cards whenever you need them. From postcards to tabloid-sized posters and banners, you'll have the capability to generate materials that get your message across.

- All trays handle media sizes from 4 x 6 in. to 12 x 18 in. You can even print banners up to 12 x 48 in. to create vivid, eye-catching signs.
- Handles cover stock, and thicknesses up to 100 lb. Cover (270 gsm) to make specialty jobs like posters, business cards or point of purchase materials quick and easy.
- Automatic two-sided printing (optional on 7400N) makes quick work of brochures, newsletters and reports.
- Finishing options including V-fold booklet printing and saddle stitching for in-house publishing.
- Industry leading color technologies, 1200 dpi print resolution and enhanced Photo print mode ensure that whatever the job, the colors come out as you intended.

Go ahead, get creative. You'll get great output on a wide variety of paper and specialty media.

Xerox offers a comprehensive portfolio of paper and specialty media products tested to meet your most demanding needs.

### Finishing Options

Sort (Job Offset) and Collate



Multiposition stapling – Custom position and placement to enhance usability



Hole punch – Options meet worldwide conventions



V-Fold Booklet – saddle-stitch booklets in-house to reduce costs and eliminate delays



## A Single-stop printing solution

The Phaser 7400 printer has the versatility to handle the printing needs of any size office. It's so capable it may have you doing things you never thought you had the resources for.

- 1 Use Tray 1 (MPT) for heavy paper up to 100 lb. Cover (270 gsm), envelopes, labels, business cards and other specialty media (up to 250 sheets).
- 2 Tray 2: 550-sheet paper tray (standard) feeds 18 lb. bond – 80 lb. cover (65 – 216 gsm) paper and transparencies.
- 3 Lower Tray Assembly adds an additional 550-sheet paper tray (standard on the 7400DT and 7400DXF configurations).
- 4 High-Capacity Feeder (standard on our most productive configurations, 7400DX and 7400DXF) adds three trays with 1,650 sheets of input capacity.
- 5 Finisher (standard on 7400DXF) offers hole-punching and stapling options, including v-fold and saddle-stitching for easy pickup and distribution.
- 6 Money-saving and fast automatic duplex option for two-sided printing (standard on 7400DN, 7400DT, 7400DX, 7400DXF configurations).





Call today. For more information, call 1-877-362-6567 or visit us at [www.xerox.com/office](http://www.xerox.com/office)



**CONFIGURATIONS**

|                            | Phaser 7400N  | Phaser 7400DN  | Phaser 7400DT                                      | Phaser 7400DX   | Phaser 7400DXF  |
|----------------------------|---|----------------|--|---|---|
| <b>Speed</b>               | Up to 36 ppm color / 40 ppm black-and-white   |                |  |   |   |
| <b>Duty Cycle</b>          | Up to 150,000 pages / month   |                |  |   |   |
| <b>Paper Handling</b>      | Tray 1 (MPT): 250 sheets, Tray 2: 550 sheets (Total 800 sheets)   |                |  |   |   |
| Paper input                | Standard  |                | 550-sheet Lower Tray Assembly (Total 1,350 sheets) | 1,650-sheet High Capacity Feeder (Total 2,450 sheets) | 550-sheet Tray, 1,650-sheet High-Capacity Feeder (Total 3,000 sheets) |
| Finisher                   | Optional  |                |  | 1,000-sheet Finisher / Staple / Punch                 |   |
| Automatic 2-sided printing | Optional  | Standard       |  |   |   |
| <b>Print</b>               | As fast as 12 seconds (color) / 11 seconds black-and-white  |                |  |   |   |
| First page out time        |   |                |  |   |   |
| Maximum Resolution         | 1200 dpi  |                |  |   |   |
| Processor                  | 800 MHz PowerPC   |                |  |   |   |
| Language Support           | Adobe® PostScript® 3™, PCL 5c   |                |  |   |   |
| Connectivity               | USB 2.0, 10/100BaseTX Ethernet  |                |  |   |   |
| Memory (Std / Max) DDR     | 256 MB / 1 GB   |                | 512 MB / 1 GB                                      |   |   |
| Internal hard drive        | Optional  | Standard 20 GB |  |   |   |
| Print features             | Embedded Web Server, Remote Printing, Email Alerts, Enhanced PrintingScout®, PhaserSMART®, RAM Collation, Smart Trays, Job Accounting, Usage Analysis Tool, Intelligent Ready, Booklet Printing |                |  |   |   |
|                            | Custom Page Sizes, Banner Printing, Proof / Secure / Saved / Personal Print, Extended Job Accounting, Collation, Font Storage   |                |  |   |   |
| <b>Warranty</b>            | One Year On-site warranty, Xerox Total Satisfaction Guarantee   |                |  |   |   |

**SUPPLIES AND OPTIONS**

| Consumables  |           |
|--|-----------|
| <b>Phaser 7400 Standard-Capacity Toner Cartridges</b>  |           |
| Cyan (9,000 pages*)  | 106R01150 |
| Magenta (9,000 pages*)   | 106R01151 |
| Yellow (9,000 pages*)  | 106R01152 |
| <b>Phaser 7400 High-Capacity Toner Cartridges</b>  |           |
| Cyan (18,000 pages*)   | 106R01077 |
| Magenta (18,000 pages*)  | 106R01078 |
| Yellow (18,000 pages*)   | 106R01079 |
| Black (15,000 pages*)  | 106R01080 |
| *Toner capacities are approximate, based on 5% coverage on an A-size page  |           |
| Staple Pack Refill (1,500)   | 108R00710 |
| Routine Maintenance Items  |           |
| <b>Phaser 7400 Imaging Units</b>   |           |
| Cyan (up to 30,000 pages)  | 108R00647 |
| Magenta (up to 30,000 pages)   | 108R00648 |
| Yellow (up to 30,000 pages)  | 108R00649 |
| Black (up to 30,000 pages)   | 108R00650 |
| Color Imaging Unit Kit (Cyan, Magenta, Yellow) (up to 30,000 pages)  | 108R00697 |
| Transfer Unit (up to 100,000 pages)  | 101R00421 |
| 110-Volt Fuser (up to 100,000 pages)   | 115R00037 |
| 220-Volt Fuser (up to 100,000 pages)   | 115R00038 |
| Waste Cartridge (up to 30,000 pages)   | 106R01081 |
| Options  |           |
| 256 MB DDR2 Memory   | 097S03381 |
| 512 MB DDR2 Memory   | 097S03382 |
| Internal Duplex Unit   | 097S03723 |
| Productivity Kit (Includes Personal Print, Secure Print, Proof Print, Disk Collation, and Extended Font Storage with Hard Drive) | 097S03730 |
| 550-sheet Feeder Tray  | 097S03728 |
| 1650-sheet High-Capacity Feeder  | 097S03731 |
| Finisher, 1000-sheets, stacker, 50-sheet stapler, 3-hole punch, includes 550-sheet Feeder Tray                                   | 097S03363 |
| Finisher, 1000-sheets, stacker, 50-sheet stapler, 4-hole punch includes 550-sheet Feeder Tray                                    | 097S03364 |

**SPECIFICATIONS**

**Network/Software**

**Printer management** CentreWare IS Embedded Web Server, CentreWare Web, Xerox NDPS Gateway, Usage Analysis Tool

**Font capabilities** 136 True Adobe PostScript fonts and 54 PCL fonts

**Printer drivers** Windows NT 4.x, Windows 2000/XP, Windows Server 2003, Mac OS 9.x, Mac OS X version 10.2 and higher, Novell NetWare 5.x/6.5, Linux Red Hat 9, Suse 9, Fedora Core 1, UNIX Sun Solaris 2.8, 2.9, 2.10, HP/UX 11.x, IBM AIX 4.3.3, Xerox Walk-Up Printing Drivers with Windows 2000 or higher

**Language Support** True Adobe® PostScript® 3™, PCL 5c

**Paper Handling**

**Maximum input capacity:** 3,000 sheets

**Tray 1 (MPT): standard:** 250-sheet capacity. 18 lb. Bond – 100 lb. Cover (64 – 270 gsm) supports a wide range of papers, synthetics, envelopes, cover stocks, labels, business cards, transparencies, and more. Media sizes: Executive, Statement, US Folio, A/Letter, Legal, Tabloid, 12 x 18 in., A6, A5, A4, A3, SRA3, ISO B5, B5 JIS, B4 JIS, Custom sizes: width: 3.95 – 12.6 in. (100 – 320 mm); height: 3.55 – 48 in. (76 – 1219 mm)

**Tray 2: standard:** 550-sheet capacity. 18 lb. Bond – 80 lb. Cover (64 – 216 gsm) supports a wide range of papers, labels, and transparencies\*. Media sizes: Executive, Statement, US Folio, A/Letter, Legal, Tabloid, 12 x 18 in., A6\*, A5, A4,

A3, SRA3, B5 JIS, B4 JIS, Custom sizes: width: 3.95 – 12.6 in. (100 – 320 mm); height: 5.85 – 18 in. (148 – 457 mm) \*transparencies and A6 size paper can be loaded into Trays 1- 2 only

**Tray 3:** Capacity, media types and sizes same as Tray 2

**Trays 4, 5, 6:** 1650-sheet High-Capacity Feeder. Media types and sizes same as Tray 2

**Automatic 2-sided printing:** 20 lb. Bond – 60 lb. Cover (75 – 188 gsm) from all trays

**Finisher:** Media weights that can be stapled (including Saddle Staple) are 17 lb. Bond – 43 lb. Cover (64 – 120 gsm)

**Maximum output capacity:** 500 sheets

**Special Features**

**Enhanced PrintingScout®** Instantly displays pop-up Help if attention is needed throughout print job

**Xerox Installer** Automatically gets you printing in minutes. Supports scriptable install and silent install which allows easy driver installation from a centralized, remote location

**PhaserSMART®** Printer diagnostics and troubleshooting via an automated Internet-based support system

**Smart Trays** Provide real-time printer and paper tray status on users' PC desktop

**Productivity tools** Personal Print\*, Driver Color Control, Support Centre, Usage Analysis Tool, Secure Print\*, Proof Print\*, Saved Print\*, Booklet printing, Mirror images, Scaling, Watermarks, Custom size paper, Run black, Cover pages, RAM Collation, Disk Collation\*, Remote printing, Separation pages, N-Up printing, PDF-direct printing\*, Configuration card,

Silent install, Scriptable install, Saved job repository, Email alerts, Job completion notification \*Requires hard drive

**Color Controls**

**Color standards** PANTONE®-approved solid-color simulations, Adobe® PostScript® device-independent color, CIE international color standards, and support for TekColor, ICC and Apple® ColorSync® color management systems

**Selectable print quality modes** Standard: 600 x 600 dpi; Enhanced: 600 x 1200 dpi; Photo: 600 x 600 x 5 dpi

**Color correction modes** Automatic, sRGB Display, sRGB Vivid, None, SWOP Press, Euroscale Press, Commercial Press, SNAP Press, Black and White

**Operating**

**Dimensions 7400N, 7400DN:** width: 25.2 in. (640 mm), depth: 24.5 in. (623 mm), height: 18.5 in. (471 mm), weight: 185 lbs. (84 kg)

**7400DT:** width: 25.2 in. (640 mm), depth: 24.5 in. (623 mm), height: 22.5 in. (572 mm), weight: 219 lbs. (99 kg)

**7400DX:** width: 25.2 in. (640 mm), depth: 24.5 in. (623 mm), height: 34.1 in. (866 mm), weight: 302 lbs. (137 kg)

**7400DXF:** width: 25.2 in. (640 mm), depth: 24.5 in. (623 mm), height: 38.4 in. (975mm), weight: 460.5 lbs. (209 kg)

**550 Sheet Tray:** width: 25.2 in. (640 mm), depth: 24.5 in. (623 mm), height: 4.3 in. (109 mm)

**High-Capacity Feeder:** width: 25.2 in. (640 mm), depth: 24.5 in. (623 mm), height: 15.8 in. (401 mm)

**Finisher (includes Inverter package):** width: 32 in. (813 mm), depth: 24.4 in. (600 mm), height: 40 in. (1016 mm), weight: 122 lbs. (56 kg)

**Environment** Environment Temperature: Storage: -4° F to 140° F (-20° C to 60° C) Operating: 50° F to 90° F (10° C to 32° C) Relative Humidity: Storage: 10% to 95% Operating: 20% to 80% Optimal Print Quality: 50% to 70%

**Electrical** Available in two models: 110-127 VAC, 60 Hz, 220-240 VAC, 50 Hz, Consumption: Printing: 800 Watts, Standby: 155 Watts, Power Saver Mode: 24 Watts

**Regulatory** Listed to UL 60950-1/CSA 60950-1-03, 1st Edition, FCC Part 15, Class A, CE marked in accordance with the Low Voltage Directive 73/23/EEC and EMC Directive 89/336/EEC, Section 508 ADA.

**Outstanding Media Capability**

Take full advantage of the new **Phaser 7400** color printer with our comprehensive Xerox Paper and Specialty Media portfolio, which includes a wide variety of coated and uncoated papers, synthetics, labels and transparencies that come in a variety of weights and sizes. For a current listing of all recommended printing media visit [www.xerox.com/office/7400supplies](http://www.xerox.com/office/7400supplies)

**Supplies Recycling Program**

Consumables for the Phaser 7400 are part of the Xerox Green World Alliance Supplies Recycling Program. For more information, please visit the Green World Alliance website at [www.xerox.com/gwa](http://www.xerox.com/gwa)

**Total Satisfaction Services**

One-year On-site Warranty, online web technical support and telephone support. Innovative service offerings include optional extended Service Agreements and custom training for your internal Help Desk. The Phaser 7400 printers are backed by the Xerox Total Satisfaction Guarantee.

